

Dolomite

Distributed by:
Laguna Clay Company
14400 Lomitas Ave
City of Industry, CA 91746
1-800-4Laguna
info@lagunaclay.com
www.lagunaclay.com

Dolomite – May 1, 2015

SAFETY DATA SHEET

I	SECTION 1	IDENTIFICATION
ı	BECTION 1	

Product

Name: Dolomite – All Sizes

Other Names: Dolomitic Limestone; Calcium Magnesium Carbonate; Dolo

Recommended Uses: Steel; pH adjustment; FGT; Construction; Agriculture; Aggregate

Company Identification:

US Operations: Canadian Operations:

Lhoist North America, Inc.

Lhoist North America of Canada, Inc.

3700 Hulen Street

20303-102B Ave.

Fort Worth, TX 76107 Langley, BC V1M 3H1

817-732-8164 604-888-4333

Emergency Phone Number:

Chemtrec 1-800-424-9300

SECTION 2	HAZARDS(S) IDENTIFICATION

Classification Carcinogen – Category 1

Specific Target Organ Toxicity Single Exposure – Category 3

(Respiratory System)

Specific Target Organ Toxicity Repeat Exposure – Category 1

(Respiratory System)

Labeling:

Pictograms:






Signal Word(s): Danger

Hazard Statements: May cause respiratory irritation.

Causes damage to lungs through prolonged or repeated exposure when

inhaled.

May cause cancer through inhalation.



Precautionary Statements:

Wash exposed skin thoroughly after handling. Do not breathe dust. Use only outdoors or in a well-ventilated area. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not eat, drink or smoke when using this product.

If exposed or concerned: Get medical advice

Dispose of contents or containers in accordance with applicable

regulations.

Other Hazards: None.

SECTION 3	COMPOSITION/ INFORMATION ON
	INGREDIENTS

Chemical Name: Dolomite

Common names and synonyms: Dolomitic Limestone; Calcium Magnesium Carbonate; Dolo

Chemical Identity	CAS#	Concentration, % Wt.
Dolomite	16389-88-1	> 95
Crystalline Silica	14808-60-7	< 3

SECTION 4 FIRST AID MEASURES

Inhalation: Move victim to fresh air. Seek medical attention if necessary.

Ingestion: Do not induce vomiting. Seek medical attention immediately. Never give

anything by mouth unless instructed to do so by medical personnel.

Most important symptoms and effects, both acute and delayed: This product contains crystalline

silica, which has been classified by IARC as (Group I) carcinogenic to humans when inhaled. Inhalation of silica can also cause a chronic lung disorder,

silicosis.


Note to Physician: Provide general supportive measures and treat symptomatically.

SECTION 5 FIREFIGHTING MEASURES

Extinguishing Media

Appropriate Extinguishing Media: Use dry chemical fire extinguisher or water

Inappropriate Extinguishing Media: Do not use halogenated compounds.



Firefighting

Fire Hazards: Dolomite is not combustible or flammable. Dolomite is not considered to be an explosive hazard, although reaction with incompatible materials may rupture containers.

Hazardous Combustion Products: None

Special Protective Equipment and Fire Fighting Instructions: None

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions: Use proper protective equipment.

Environmental Precautions: For large spills, as much as possible, avoid the generation of dusts. Prevent release to sewers or waterways.

Methods and Materials for Containment and Cleaning Up:

Small Spills: Use dry methods to collect spilled materials. Avoid generating dust. Do not clean up with compressed air. Residue on surfaces may be washed with water or dilute vinegar solution.

Large Spills: Use dry methods to collect spilled materials. Evacuate area downwind of clean-up operations to minimize dust exposure.

SECTION 7 HANDLING AND STORAGE


Precautions for Safe Handling: None

Conditions for Safe Storage, Including any Incompatibilities: Do not store near incompatible materials (see Section 10 below).

SECTION 8	EXPOSURE CONTROLS/ PERSONAL
	PROTECTION

Control Parameters:

Component	CAS#	Exposure Limits
Dolomite	16389-88-1	OSHA PEL: 15 mg/m3 (total) 5 mg/m3 (respirable)
		ACGIH TLV: 10 mg/m3
Crystalline Silica	14808-60-7	OSHA PEL: 10 mg/m3 divided
		by (the percentage of silica in the dust plus 2) (respirable)
		ACGIH TLV: 0.025 mg/m3 (respirable)



Appropriate Engineering Controls: Provide ventilation adequate to maintain PELs.

Personal Protection

Respiratory Protection: Use NIOSH approved respirators if airborne concentration

exceeds PEL.

Eye Protection: Use safety glasses with side shields or safety goggles.

Skin Protection: Clothing should fully cover arms and legs.

Other: Eye wash fountain and emergency showers are recommended.

SECTION 9

PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical State: Solid

Color: White, grayish-white, red, pink or tan

Odor: Odorless

Odor Threshold: N/A

pH: 8-9 @ 25° C

Melting Point: N/ A

Initial Boiling Point: N/A

Freezing Point: N/ A

Flash Point: N/ A

Evaporation Rate: N/A

Flammability (solid, gas): Non-flammable

Explosion Limits: N/A


Vapor Pressure: N/ A

Vapor Density: N/A

Relative Density: $2.6 - 2.9 \text{ g/cm}^3$ (apparent)

Solubility(ies): Not readily soluble in water

Partition coefficient: Relatively insoluble



Auto-ignition Temperature: N/A

Decomposition Temperature: 730 ° C

Viscosity: N/A

SECTION 10

STABILITY AND REACTIVITY

Reactivity: Normally stable. Will react with chemicals listed under incompatible materials below.

Chemical Stability: Dolomite is chemically stable.

Possibility of Hazardous Reactions: See reactivity above

Conditions to Avoid: Do not allow Dolomite to come into contact with incompatible materials.

Incompatible Materials: Dolomite should not be mixed or stored with the following materials, due to the potential for violent reaction and release of heat:

Acids (unless in a controlled process)
Reactive Fluoridated Compounds
Reactive Brominated Compounds
Reactive Powdered Metals
Ammonium Salts

Hazardous Decomposition Products: None

SECTION 11

TOXICOLOGICAL INFORMATION

Health Effects: see First Aid discussion in Section 4

Routes of Exposure: see First Aid discussion in Section 4

Symptoms Related to Exposure: see First Aid discussion in Section 4

Carcinogen Listing: Dolomite is not listed by MSHA, OSHA, or IARC as a carcinogen, but this product contains crystalline silica, which has been classified by IARC as (Group I) carcinogenic to humans when inhaled.


SECTION 12

ECOLOGICAL INFORMATION

Ecotoxicity: None Expected

Persistence and Degradability: N/A

Bioaccumulation Potential: This material shows no bioaccumulation effect or food chain concentration toxicity.



Mobility in Soil: Minimal mobility in soil.

Other Adverse Effects: N/A

SECTION 13

DISPOSAL CONSIDERATIONS

Disposal Recommendations: Dispose of in accordance with all applicable federal, state, and local environmental regulations.

Regulatory Disposal Information: If this product as supplied, and unmixed, becomes a waste, it will not meet the criteria of a hazardous waste as defined under the Resource Conservation and Recovery Act.

SECTION 14

TRANSPORT INFORMATION

UN Number: Not Regulated

UN Proper Shipping Name: Not Regulated

Transport Hazard Class(es): Not Regulated

Packing Group: Not Regulated

Marine Pollutant (y/n): No

Special Precautions: None

SECTION 15

REGULATORY INFORMATION

National Chemical Inventory Listings:

All chemical ingredients are listed on the USEPA TSCA Inventory List.

US Regulations:

RCRA Hazardous Waste Number: not listed (40 CFR 261.33)

RCRA Hazardous Waste Classification (40 CFR 261): not classified

CERCLA Hazardous Substance (40 CFR 302.4) unlisted specific per RCRA, Sec. 3001;

CWA, Sec. 311 (b) (4); CWA, Sec. 307(a), CAA, Sec. 112

CERCLA Reportable Quantity (RQ) not listed.


SARA 311/312 Codes: not listed.

SARA Toxic Chemical (40 CFR 372.65): not listed.

SARA EHS (Extremely Hazardous Substance) (40 CFR 355): Not listed, Threshold Planning

Quantity (TPQ): not listed

Specific State Regulations: Consult State and Local authorities for guidance. Components found in this product may contain trace amounts of inherent naturally occurring elements (such as, but not limited to arsenic and cadmium) that may be regulated under California Proposition 65 and other States regulations.



Canada DSL: Listed

Canadian WHMIS Listing:

"D2A" Materials causing other toxic effects



SECTION 16 OTHER INFORMATION

Prepared By: Lhoist North America Technical Services

Date Prepared: May 1, 2015

Revision: 2015-1

Abbreviations:

N/A Not Available or Not Applicable

IARC International Agency for Research on Cancer IATA International Air Transport Association

ACGIH American Conference of Governmental

ACGIH Industrial Hygienists
TWA Time Weighted Average
PEL Permissible Exposure Limit
TLV Threshold Limit Value

REL Recommended Exposure Limit

Lhoist North America provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person. Individuals receiving this information must consult their own technical and legal advisors and/or exercise their own judgment in determining its appropriateness for a particular purpose. Lhoist North America makes no representations or warranties, either express or implied, including without limitation and warranties of merchantability or fitness for a particular purpose with respect to the Information set forth herein or the product(s) to which the information refers. Accordingly, Lhoist North America will not be responsible or liable for any claims, losses or damages resulting from the use of or reliance upon or failure to use this information.



Distributed by: Laguna Clay Company 14400 Lomitas Ave City of Industry, CA 91746 1-800-4Laguna info@lagunaclay.com www.lagunaclay.com